

Air to Water Heat Exchanger




Description

Order Number:	2300010
Brand Name:	SLIMLINE HEX
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	IP 55
Approvals:	CE


Technical data

Cooling capacity 95F/W50F (53 GPH):	1090 BTU
Coolant:	Water, light oils or similar
Operating temperature range:	34°F ... +149°F
Air volume flow (system / unimpeded):	43 / 127 cfm @ 50 Hz 50 / 141 cfm @ 60 Hz
Mounting:	Wall mounted / Internal
Dimension H x W x D:	11.93 x 6.02 x 3.31 in.
Weight:	7.1 lbs
Voltage / Frequency:	230 V ~ 50/60 Hz
Starting current:	0.35 A
Max. current:	0.24 A
Max. power:	37 W
Pressure water circuit:	10 bar
Water connection:	Rp 1/4" - inside thread with 2 connectors for pipe internal diameter of 0.39 inch
Fuse:	4 A (T)
Connection:	Connection Terminals


Performance graph:



Air flow:



Cut out dimensions:



Order Information

Stainless steel housing part no.	2300012
Verpackungsmaße	408.6 x 169 x 120.5 mm
Bruttogewicht	5 kg
Taric code	84158300
GTIN (EAN)	5350604210004