

Enclosure air conditioner for 19" rack KG 4533-230V




Description

Brand Name:	SoliTherm
Order Number:	45330001
Color:	RAL 7035
Housing Material:	Mild steel, powder coated
Ingress protection:	IP 54
Approvals:	CE
Taric Code:	84158200

Technical data KG 4533-230V

Cooling capacity 95F/95F:	1940 BTU
Cooling capacity 95F/122F:	1520 BTU
Compressor:	Reciprocating compressor
Refrigerant / GWP:	R134a / 1430
Refrigerant charge:	325 g / 11.5 oz
High / low pressure:	35 / 6 bar 508 / 88psig
Operating temperature range:	68°F - 131°F
Air volume flow (system / unimpeded):	Ambient air circuit: 104 / 324 cfm Cabinet air circuit: 156 / 265 cfm
Mounting:	19" rack
Dimension H x W x D:	8.74 x 19.01 x 21.61 inch
Weight:	62 lbs.
Voltage / Frequency:	230 V ~ 50/60 Hz
Current 95F95F:	2.1 A @ 50 Hz 2.1 A @ 60 Hz
Starting current:	9.1 A
Max. current:	2.5 A
Nominal power 95F95F:	374 W @ 50 Hz 425 W @ 60 Hz
Max. power:	525 W
Fuse:	6 A (T)
Connection:	Connection terminal block

Performance Graph:



Air flow:

