


## Thermoelectric cooler TG 6105-230V External




### Description

<b>Brand Name:</b>	SoliTherm Peltier
<b>Order Number:</b>	6105305
<b>Housing Material:</b>	Stainless steel AISI 304 (V2A)
<b>Ingress protection:</b>	IP 66, NEMA / UL Type 4X
<b>Note:</b>	The torque for the mounting nuts should be 4.5 Nm
<b>Approvals:</b>	CE, cURus


## Technical data TG 6105-230V External

<b>Cooling capacity 95F/95F:</b>	340 BTU
<b>COP rated:</b>	0.89
<b>Operating temperature range:</b>	-4°F - 149°F
<b>Air volume flow (system / unimpeded):</b>	Ambient air circuit: 75 / 125 cfm Cabinet air circuit: 27 / 53 cfm
<b>Mounting:</b>	External (with frame)
<b>Dimension H x W x D:</b>	11 x 13.8 x 6.5 inch
<b>Weight:</b>	24 lbs.
<b>Cut out dimensions:</b>	350 x 280 mm
<b>Voltage / Frequency:</b>	120 - 230 V ~ 50/60 Hz
<b>Current 95F95F:</b>	1.0 A @ 120 V
<b>Starting current:</b>	1.6 A @ 120 V 0.8 A @ 230 V
<b>Max. current:</b>	1.1 A @ 120 V 0.6 A @ 230 V
<b>Nominal power 95F95F:</b>	126 W
<b>Max. power:</b>	131 W
<b>Fuse:</b>	4 A (T)
<b>Connection:</b>	8-Pole Connector

**Performance Graph:**



**Cut out dimensions:**



## Bestellinformationen

<b>Stainless steel AISI 316 (V4A) housing with chromed heat sinks part no.</b>	61053054
<b>Verpackungsmaße</b>	314 x 436 x 183.5 mm
<b>Bruttogewicht</b>	13.1 kg
<b>Taric code</b>	84158300
<b>GTIN (EAN)</b>	5350604350182