

Thermoelectric cooler TG 6205-230V External




Description

Brand Name:	SoliTherm Peltier
Order Number:	6205305
Housing Material:	Stainless steel AISI 304 (V2A)
Ingress protection:	IP 66, NEMA / UL Type 4X
Note:	The torque for the mounting nuts should be 4.5 Nm.
Approvals:	CE, cURus


Technical data TG 6205-230V External

Cooling capacity 95F/95F:	680 BTU
Operating temperature range:	-4°F - 149°F
Air volume flow (system / unimpeded):	Ambient air circuit: 62 / 153 cfm Cabinet air circuit: 90 / 153 cfm
Mounting:	External (with frame)
Dimension H x W x D:	19.7 x 13 x 7.9 inch
Weight:	44 lbs
Cut out dimensions:	9.6 x 16.8 inch
Voltage / Frequency:	120 - 230 V ~ 50/60 Hz
Current 95F95F:	2.2 A @ 120 V 1.1 A @ 230 V
Starting current:	3.2 A @ 120 V 1.7 A @ 230 V
Max. current:	2.2 A @ 120 V 1.2 A @ 230 V
Nominal power 95F95F:	259 W
Max. power:	270 W
Fuse:	4 A (T) @ 120 V 3 A (T) @ 230 V
Connection:	8-Pole Connector

Performance Graph:



Cut out dimensions:



Bestellinformationen

Stainless steel AISI 316 (V4A) housing with chromed heat sinks part no.	62053054
Verpackungsmaße	586.6 x 354 x 227 mm
Bruttogewicht	24.3 kg
Taric code	84158300
GTIN (EAN)	5350604350458