

Thermoelectric cooler TG 6405-230V External




Description

| | |
|----------------------------|--|
| Brand Name: | SoliTherm Peltier |
| Order Number: | 6405305 |
| Housing Material: | Stainless steel AISI 304 (V2A) |
| Ingress protection: | IP 66, NEMA / UL Type 4X |
| Note: | The torque for the mounting nuts should be 4.5 Nm. |
| Approvals: | CE, cURus |


Technical data TG 6405-230V External

| | |
|--|--|
| Cooling capacity 95F/95F: | 1370 BTU |
| Operating temperature range: | -4°F - 149°F |
| Air volume flow (system / unimpeded): | Ambient air circuit: 141 / 191 cfm Cabinet air circuit: 141 / 191 cfm |
| Mounting: | External (with frame) |
| Dimension H x W x D: | 23.6 x 17 x 8.2 inch |
| Weight: | 82 lbs. |
| Cut out dimensions: | 7.9 x 21.6 inch |
| Voltage / Frequency: | 120 - 230 V ~ 50/60 Hz |
| Current 95F95F: | 4.0 A @ 120 V |
| Starting current: | 6.5 A @ 120 V 3.4 A @ 230 V |
| Max. current: | 4.5 A @ 120 V 2.3 A @ 230 V |
| Nominal power 95F95F: | 517 W |
| Max. power: | 537 W |
| Fuse: | 7 A (T) @ 120 V 4 A (T) @ 230 V |
| Connection: | 8-Pole Connector |

Performance Graph:



Cut out dimensions:



Bestellinformationen

| | |
|--|----------------------|
| Stainless steel AISI 316 (V4A) housing with chromed heat sinks part no. | 64053054 |
| Verpackungsmaße | 686.6 x 454 x 232 mm |
| Bruttogewicht | 41 kg |
| Taric code | 84158300 |
| GTIN (EAN) | 5350604350564 |